

PowerEco-100kW/200kWh-Na⁺ NEW

昆宇电源
COSPOWERS

应用领域

微电网、产业园区、工业园区



灵活扩容, 一机多效
匹配多种应用场景



采用钠离子电池
高低温性能好



高集成化设计
交直流一体



指尖监控
云端维护

参数/型号		PowerEco-100kW/200kWh
直流侧参数	直流母线最高电压	1500V
	直流侧最大电流	212A
	直流电压工作范围	600~1500V
交流并网参数	最大输入视在功率	115kVA
	最大输入有功功率	100kW
	额定输入电压	400 (±15%) Vac, 3P3W+PE
	最大持续输入电流	216
交流离网参数	额定输入频率	50Hz
	交流离网电压	400V, 3P3W+PE
	最大持续输出电流	216A
电池参数	交流离网频率	50Hz
	电池类型	钠离子电池
	额定电量	202kWh (168Ah)
	标称电压	1206.4V
	工作电压范围	624~1414.4V
系统级参数	倍率	≤0.5C
	人机界面	7寸 LCD触摸屏
	消防系统	全氟己酮消防
	冷却方式	液冷
	工作温度	-40~55°C
	防护等级	IP54
	尺寸 (W*D*H)	1400*1400*2350mm
其他参数	重量	<3000Kg
	MPPT模块	/
	STS模块	/
	认证	IEC62619、CE-EMC、CE-LVD、CE-RED



昆宇电源股份有限公司

网址: WWW.COSPOWERS.COM

地址: 山东省东营市东营区东七路28号

电话: 0546-7768891

版权及最终解释权归昆宇电源股份有限公司所有

PowerEco-100kW/200kWh-Na⁺ NEW

COSPOWERS

Application Field
Microgrid, Industrial Park,
Industrial Estate



flexible expansion, one machine
multi-effect matching a variety
of application scenarios



Sodium-ion batteries



highly integrated
design AC and DC
integrated



fingertip monitoring
cloud maintenance

Parameters/ Model		PowerEco-100kW/200kWh
DC side parameter	Max Voltage	1500V
	Max Current	212A
	Voltage Range	600~1500V
AC grid connection parameter	Max. Apparent Output	115kVA
	Max. Input Active Power	100kW
	Nominal Voltage	400 (±15%) Vac, 3P3W+PE
	Max. Input Current	216
AC off-grid parameter	Nominal Input Frequency	50Hz
	Nominal Voltage	400V, 3P3W+PE
	Max Output Current	216A
Battery parameters	Nominal Frequency	50Hz
	Battery Chemistry	NA ⁺
	Capacity	202kWh
	Nominal Voltage	1206.4V/168Ah
	Voltage Range	624~1414.4V
System level parameters	C Rate	≤0.5C
	HMI	7 Inch touch screen
	Fire Safety	Perfluorohexanone
	Cooling Method	Liquid Cooling
	Operating Temp.	-40~55°C
	IP Degree	IP54
	Dimension(W*D*H)	1400*1400*2350mm
Others	Weight	<3000Kg
	MPPT	/
	STS	/
	Certification	IEC62619, CE-EMC, CE-LVD, CE-RED



Cospowers Technology Co., Ltd.

W: WWW.COSPOWERS.COM

A: No.28, Dongqi Road, Dongying City, Shandong Province, P.R.C.

T: +86-546-7768891

Copyright and final interpretation rights belong to Cospowers Technology Co., Ltd.